

Figure: 30 TAC §115.453(a)(1)(E)

Table 1.

Automotive/Transportation Coating Category	Pounds of volatile organic compounds (VOC) per gallon coating	Pounds of VOC per gallon solids
Flexible Primer, Baked, Interior and Exterior Parts	4.5	11.58
Non-flexible Primer, Baked, Interior and Exterior Parts	3.5	6.67
Base Coats, Baked, Interior and Exterior Parts	4.3	10.34
Clear Coat, Baked, Interior and Exterior Parts	4.0	8.76
Non-Base Coat/Clear Coat, Baked, Interior and Exterior Parts	4.3	10.34
Primers, Air-Dried, Exterior Parts	4.8	13.80
Base Coat, Air-Dried, Exterior Parts	5.0	15.59
Clear Coat, Air-Dried, Exterior Parts	4.5	11.58
Non-Base Coat/ Clear Coat, Air-Dried, Exterior Parts	5.0	15.59
Air-Dried Coatings, Interior Parts	5.0	15.59
Touch-Up and Repair Coatings	5.2	17.72

Table 2.

Business Machine Coating Category	Pounds of VOC per gallon coating	Pounds of VOC per gallon solids
Primers	2.9	4.80
Topcoat	2.9	4.80
Texture Coat	2.9	4.80
Fog Coat	2.2	3.14
Touch-Up and Repair	2.9	4.80